

CAMBRIDGE | with ARMOTEC

New  
PRODUCTS  
& COLORS

20  
26

REV. 2026.03

## HOW WE'RE CHANGING THE GAME IN 2026

**The "XL" Revolution:** You asked for it, we built it. The new LG Drive (3 1/8 inch) available in Ledgestone Textured and Smooth, is the structural heavyweight Cambridge customers have been waiting for. It's a massive, rugged slate-textured slab that finally solves the "load-bearing gap" for large-format driveways.

The trend continues with the additions of 24 x 24 Smooth (2 3/8) and Ledgestone Smooth 7 7/8 X 15 3/4 (2 3/8) palletized separately, and can be incorporated with all smooth individual larger slabs (nominal sizes): 8 x 16; 16 x 24; 24 x 24; 24 x 36.

**Modern Linear Design:** Our new Belgium Soho 4-Pc. Design Kit (3 1/8 inch) pivots away from traditional cobbles toward a high-end, linear modular system. With a uniform nominal 6" width, it hits that "Linear Plank" architectural trend perfectly while keeping the hand-hewn soul of an Old World stone.

**Expanded our product line** with nine new pavingstone shapes this year, as well as expanded color options for proven classics. We are bringing our most-requested, modern color blends to our legacy product lines. You no longer have to choose between your favorite stone shape and the perfect contemporary hue.

**Blueprint™ – The New Architecture of Color Confidence:** We didn't just update our guides; we re-engineered them from the ground up. By utilizing authentic, individualized high-fidelity photography (not digital approximations), we've captured the "ground truth" of every intricate color blend, texture, and finish. These guides visually articulate a captivating story of color harmony across our entire product line, giving you total visual certainty.

**Charles Gamarekian Jr.**  
Vice-President, Cambridge Pavers Inc.

**Charles H. Gamarekian**  
Founder / Chairman / CEO

**Christopher S. Gamarekian**  
Vice-President, Cambridge Pavers Inc.

*Family Owned*  
— [and] —  
**OPERATED**



**32 YEARS.**  
**3.2 BILLION PAVINGSTONES.**  
**ONE AMERICAN LEGACY.**

**SCAN OR  
TAP ME  
WATCH ON  
YOUTUBE**

# OLDE ENGLISH FULLY-ASSEMBLED NON TUMBLED WALL FIREPLACE

*New!* 2026



**SPECIFICATIONS**

HEIGHT	DEPTH	LENGTH	WEIGHT	TOTAL PALLETS
8' 5 1/2"	4' 7 7/8"	4' 11 7/8"	7,774 lbs	3



\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)

**APPLICATIONS**


» Perfect for contemporary home designs

**NOTE:** Detailed instructions can be found online and are included with components. Concrete pad must be poured and first course installed prior to placing components.

**AVAILABLE COLOR COMBINATIONS ( WALLSTONE / TRIM ):**



**AVAILABLE ACCENT MEDALLIONS (OPTIONAL)**



**OPTIONAL GLASS DOOR FIREPLACE UPGRADE**

- This glass door insert is designed to be use with all Fully-Assembled Fireplaces
- Glass door design, no need for screen
- Built-in hearth and custom wood rack



**READY TO USE THE SAME DAY**

«»»  
All Cambridge Fully-Assembled Kits are delivered to your home and can be put together the same day onto a poured concrete pad depending on project conditions.



# MINI FULLY-ASSEMBLED OLDE ENGLISH NON TUMBLED WALL FIREPLACE

*New!* <sup>20</sup>/<sub>26</sub>



**SPECIFICATIONS**

HEIGHT	DEPTH	LENGTH	WEIGHT	TOTAL PALLETS
8' 3"	3' 10 1/4"	3' 4"	4,721 lbs	2




\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)

**APPLICATIONS**

» Perfect for small backyards, intimate gathering areas, or cozy spaces

**NOTE:** Detailed instructions can be found online and are included with components. Concrete pad must be poured and first course installed prior to placing components.

**AVAILABLE COLOR COMBINATIONS ( WALLSTONE / TRIM ):**



**AVAILABLE ACCENT MEDALLIONS (OPTIONAL)**



**OPTIONAL GLASS DOOR FIREPLACE UPGRADE**

- This glass door insert is designed to be use with all Fully-Assembled Fireplaces
- Glass door design, no need for screen
- Built-in hearth and custom wood rack



**READY TO USE THE SAME DAY**

«»»  
All Cambridge Fully-Assembled Kits are delivered to your home and can be put together the same day onto a poured concrete pad depending on project conditions.



# LEDGESTONE SMOOTH LG DRIVE 3-PC. DESIGN KIT 3 1/8

New! 2026



### SPECIFICATIONS

WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	PCS. / SIZE	LAYERS / CUBE
13	19 1/2	3 1/8	99	3,585 (Pallet Incl.)	88	24	8
13	13	3 1/8	(Part of Kit)	(Part of Kit)	(Part of Kit)	32	(Part of Kit)
6 1/2	13	3 1/8	(Part of Kit)*	(Part of Kit)*	(Part of Kit)*	32	(Part of Kit)

\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)


### APPLICATIONS

- » Driveways
- » Patios
- » Courtyards
- » Commercial Pedestrian Plazas
- » Pool Decks


### AVAILABLE COLORS




\* AVAILABLE SEPARATE:  
Ledgestone Smooth LG Drive  
6 1/2 X 13 X 3 1/8



### INSTALLATION PATTERNS



### PALLET OVERVIEW



Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.  
Note: This product is packaged to be installed randomly with no set pattern.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers) Blueprint by Cambridge



# LEDGESTONE SMOOTH LG DRIVE 6 1/2 X 13 X 3 1/8

New! 2026



### SPECIFICATIONS



WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	SQ. FT. / BAND	PCS. / BAND	BANDS / CUBE	LAYERS / CUBE
6 1/2	13	3 1/8	99	3,585 (Pallet incl.)	168	14.1	24	7	8

\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)


### APPLICATIONS

- » Driveways
- » Patios
- » Courtyards
- » Commercial Pedestrian Plazas
- » Pool Decks
- » Borders


### AVAILABLE COLORS



### INSTALLATION PATTERNS



### PALLET OVERVIEW




Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers) | [Blueprint by Cambridge](http://BlueprintbyCambridge.com)

# LEDGESTONE LG DRIVE 3-PC. DESIGN KIT 3 1/8

*New!* 2026



## SPECIFICATIONS


WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	PCS. / SIZE	LAYERS / CUBE
13	19 1/2	3 1/8	99	3,585 (Pallet Incl.)	88	24	8
13	13	3 1/8	(Part of Kit)	(Part of Kit)	(Part of Kit)	32	(Part of Kit)
6 1/2	13	3 1/8	(Part of Kit)*	(Part of Kit)*	(Part of Kit)*	32	(Part of Kit)

\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)

## APPLICATIONS

- » Driveways
- » Patios
- » Courtyards
- » Commercial Pedestrian Plazas
- » Pool Decks


## AVAILABLE COLORS




\* AVAILABLE SEPARATE:  
Ledgestone LG Drive 6 1/2 X 13 X 3 1/8



## INSTALLATION PATTERNS



## PALLET OVERVIEW



Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

**Note:** This product is packaged to be installed randomly with no set pattern.


Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers)

Blueprint by Cambridge



# LEDGESTONE LG DRIVE 6 1/2 X 13 X 3 1/8

New! <sup>20</sup>/<sub>26</sub>



## SPECIFICATIONS


WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	SQ. FT. / BAND	PCS. / BAND	BANDS / CUBE	LAYERS / CUBE
6 1/2	13	3 1/8	99	3,585 (Pallet incl.)	168	14.1	24	7	8

\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)


## APPLICATIONS

- » Driveways
- » Patios
- » Courtyards
- » Commercial Pedestrian Plazas
- » Pool Decks
- » Borders


## AVAILABLE COLORS



BLUESTONE BLEND



COAL



LIMESTONE QUARRY BLEND



MOCHA



ONYX/NATURAL



SAHARA/CHESTNUT LITE





SANDSTONE BLEND







STONE HARBOR




TOFFEE/ONYX LITE



## INSTALLATION PATTERNS



## PALLET OVERVIEW



Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](https://CambridgePavers.com/Designers) | [Blueprint by Cambridge](https://BlueprintbyCambridge.com)

# LEDGESTONE SMOOTH 7 7/8 X 15 3/4

New! 40/26



### SPECIFICATIONS

WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	SQ. FT. / BAND	PCS. / BAND	BANDS / CUBE	LAYERS / CUBE
7 7/8	15 3/4	2 3/8	103	2,955 (Pallet Incl.)	120	34.4	40	3	10


\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)

### APPLICATIONS


- » Walkways
- » Patios
- » Courtyards
- » Residential Entrances
- » Pool Decks
- » Borders




### AVAILABLE COLORS




BLUESTONE BLEND




COAL




LIMESTONE QUARRY BLEND




MOCHA




ONYX/NATURAL




PLATINUM



SAHARA/CHESTNUT LITE




SANDSTONE BLEND




SANDSTONE LITE


The trend to larger slabs continues to increase every year. Cambridge offers 4 large scale sizes that can be utilized together! These four distinct shapes can be used independently or integrated with the XL 3-Pc. Design Kits to unlock limitless pattern possibilities (nominal sizes):




8 x 16





16 x 24




24 x 24




24 x 36



### INSTALLATION PATTERNS



### PALLET OVERVIEW



Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers) Blueprint by Cambridge

# 24 X 24 X 2 3/8 SMOOTH

New! <sup>40</sup>/<sub>26</sub>



### SPECIFICATIONS



WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	SQ. FT. / BAND	PCS. / BAND	BANDS / CUBE	LAYERS / CUBE
23 5/8	23 5/8	2 3/8	78	2,212 (Pallet Incl.)	20	39	10	2	10

\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)


### APPLICATIONS

- » Walkways
- » Patios
- » Courtyards
- » Residential Entrances
- » Pool Decks


### AVAILABLE COLORS



### INSTALLATION PATTERNS



### PALLET OVERVIEW



The trend to larger slabs continues to increase every year. Cambridge offers 4 large scale sizes that can be utilized together! These four distinct shapes can be used independently or integrated with the XL 3-Pc. Design Kits to unlock limitless pattern possibilities (nominal sizes):

8 x 16    16 x 24    24 x 24    24 x 36

Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers) **Blueprint by Cambridge**

# LEDGESTONE 4 1/2 X 4 1/2

New! <sup>20</sup>/<sub>26</sub>



## SPECIFICATIONS

WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	SQ. FT. / BAND	PCS. / BAND	BANDS / CUBE	LAYERS / CUBE
4 17/32	4 17/32	2 3/8	69	1,948	480	6.9	48	10	10





\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)

## APPLICATIONS



- » Borders
- » Walkways
- » Driveways
- » Patios
- » Courtyards
- » Residential Entrances
- » Pool Decks




## AVAILABLE COLORS



## INSTALLATION PATTERNS



## PALLET OVERVIEW



Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers) | [Blueprint by Cambridge](http://BlueprintbyCambridge.com)



# LEDGESTONE SMOOTH 4 1/2 X 4 1/2

New! <sup>40</sup>/<sub>26</sub>



## SPECIFICATIONS

WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	SQ. FT. / BAND	PCS. / BAND	BANDS / CUBE	LAYERS / CUBE
4 17/32	4 17/32	2 3/8	69	1,948	480	6.9	48	10	10




\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)

## APPLICATIONS


- » Borders
- » Walkways
- » Patios
- » Courtyards
- » Residential Entrances
- » Pool Decks




## AVAILABLE COLORS



## INSTALLATION PATTERNS



## PALLET OVERVIEW



Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers) **Blueprint by Cambridge**

# BELGIUM SOHO 4-PC. DESIGN KIT 3 1/8

New! 2026




## SPECIFICATIONS

WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	PCS. / SIZE	SQ. FT. / LAYER	PCS. / LAYER	LAYERS / CUBE	OPEN VOID AREA	INFILTRATION RATE
5 29/32	14 49/64	3 1/8	93 (Linear Ft. • Sailor: 189)	3,232 (Pallet Incl.)	240	48	11.6	30	8	4.17%	753 in./hr.
5 29/32	11 13/16	3 1/8	(Part of Kit)	(Part of Kit)	(Part of Kit)	48	(Part of Kit)	(Part of Kit)	(Part of Kit)	(Part of Kit)	(Part of Kit)
5 29/32	8 55/64	3 1/8	(Part of Kit)	(Part of Kit)	(Part of Kit)	48	(Part of Kit)	(Part of Kit)	(Part of Kit)	(Part of Kit)	(Part of Kit)
5 29/32	5 29/32	3 1/8	(Part of Kit)	(Part of Kit)	(Part of Kit)	96	(Part of Kit)	(Part of Kit)	(Part of Kit)	(Part of Kit)	(Part of Kit)

\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)

## APPLICATIONS


- » Driveways
- » Walkways & Garden Paths
- » Patios
- » Courtyards & Pedestrian Plaza
- » Pool Decks
- » Permeable




## AVAILABLE COLORS



## INSTALLATION PATTERN



## PALLET OVERVIEW




Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers) | [Blueprint by Cambridge](http://BlueprintbyCambridge.com)

# KINGSCOURT HOLLAND II 3 1/8"

New! 2026



## SPECIFICATIONS






WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	SQ. FT. / BAND	PCS. / BAND	BANDS / CUBE	LAYERS / CUBE
4	8	3 1/8	97	3,395	432	16.10	72	6	XX

\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)


## APPLICATIONS

- » High-Interlock Residential Driveways
- » Walkways
- » Patios
- » Pool Decks
- » Borders
- » Pedestrian Plazas & Commercial Walkways
- » Step Risers & Landing Inlays


## AVAILABLE COLORS (SPECIAL ORDER ONLY - CALL)



## INSTALLATION PATTERN



## PALLET OVERVIEW



Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers) Blueprint by Cambridge



# HOLLAND XL PERMEABLE

New! 2026



## SPECIFICATIONS




WIDTH	LENGTH	THICKNESS	SQ. FT. / CUBE	WEIGHT / CUBE	PCS. / CUBE	SQ. FT. / BAND	PCS. / BAND	BANDS / CUBE	LAYERS / CUBE	OPEN VOID AREA	INFILTRATION RATE
4 15/16	9 7/8	3 1/8	76	2,660	224	18.9	56	5	XX	7.85%	1,046 in./hr.

\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)


## APPLICATIONS

- » Residential & Commercial Driveways
- » Pool Decks
- » Pedestrian Plazas & Walkways
- » Stormwater Management Zones
- » Parking Lots & Stalls
- » Borders


## AVAILABLE COLORS (SPECIAL ORDER ONLY - CALL)



## INSTALLATION PATTERN



## PALLET OVERVIEW



Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers) | [Blueprint by Cambridge](http://BlueprintbyCambridge.com)



# SIGMA™ 6 PLUS SPLIT FACE CORNER

New! <sup>40</sup>/<sub>26</sub>



## SPECIFICATIONS

HEIGHT	DEPTH	LENGTH	WEIGHT / CUBE	DEGREES FROM VERT.	PCS. PER PALLET
6	16	8	1,536	0°	24

Right and Left Corners


\*Unless otherwise noted, all dimensions are in inches (in.); weights are in pounds (lbs.)

## APPLICATIONS

- » Engineered Retaining Walls
- » Commercial & Municipal Site Works
- » Driveway & Roadway Support
- » Curvilinear Walls
- » Grand-Scale Architectural Terracing

**NOTE:** Sigma 6" Plus Corner – Full size corners, no cuts needed to stay on bond from corner.

## AVAILABLE COLORS



LIMESTONE QUARRY BLEND



ONYX/NATURAL



SAHARA/CHESTNUT



SAHARA/CHESTNUT LITE






SANDSTONE BLEND






TOFFEE/ONYX



TOFFEE/ONYX LITE



## PALLET OVERVIEW



Patterns shown for visualization purposes only. Contractor must verify site conditions and calculate exact material quantities before ordering.

Resources for professional designers at: [CambridgePavers.com/Designers](http://CambridgePavers.com/Designers)

Blueprint by Cambridge




# BLUESTONE BLEND

*Now Available!* 2026

NOW AVAILABLE IN




**LEDGESTONE  
3-PC. DESIGN KIT**  
11003388



**XL SMOOTH  
15 3/4 X 23 5/8**  
11002817



**CRUSADER  
13 X 27 CAP**  
13070037



**CRUSADER  
LEDGESTONE CAP**  
1306007N



**OLDE ENGLISH  
4 X 8 X 12 NON  
TUMBLED WALL**  
21002218



**OLDE ENGLISH  
4 X 8 X 20 NON  
TUMBLED WALL**  
21002317



**OMEGA 6  
SMOOTH WALL &  
COLUMN KIT**  
24007417C / 24007447C

# COAL

NOW AVAILABLE IN



**LEDGESTONE  
SMOOTH  
PERMEABLE 6 X 9**  
13005078

# LIMESTONE QUARRY BLEND

NOW AVAILABLE IN



**BRICK ALLEY**  
11004283



**RIVER ROCK**  
11003969

# MOCHA

NOW AVAILABLE IN



**LEDGESTONE  
SMOOTH  
PERMEABLE 6 X 9**  
13005073

*Now Available!* 2026

# OCEANSIDE

NOW AVAILABLE IN



**LEDGESTONE  
SMOOTH  
3-PC. DESIGN KIT**  
13005073



**XL SMOOTH  
3-PC. DESIGN KIT**  
11003972



**XL SMOOTH  
24 X 36**  
11002774



**OMEGA™ SMOOTH  
WALL &  
COLUMN KIT**  
24007419C / 24007449C

# PLATINUM

NOW AVAILABLE IN




**BRICK ALLEY**  
11004287

# SAHARA/CHESTNUT

*Now Available!* 2026


NOW AVAILABLE IN



**SIGMA™ 8 PLUS  
SMOOTH  
WALL & CORNER**  
24009302C / 24009564C

# SAHARA/CHESTNUT LITE

NOW AVAILABLE IN



**XL SMOOTH**  
**15 3/4" X 23 5/8"**  
11002820

# SANDSTONE LITE

NOW AVAILABLE IN



**LEDGESTONE XL  
3-PC. DESIGN KIT**  
11003867




# SANDSTONE BLEND

NOW AVAILABLE IN


*Now Available!* 2026




**LEDGESTONE**  
4 1/2 X 9  
11003760N



**LEDGESTONE**  
SMOOTH 4 1/2 X 9  
11003060N



**XL SMOOTH**  
24 X 36  
11002767



**LEDGESTONE**  
SMOOTH  
PERMEABLE 6 X 9  
13005079



**LEDGESTONE**  
PERMEABLE  
3-PC. DESIGN KIT  
13005119



**COLUMN KIT PLUS**  
24007038C



**SIGMA™ 6 PLUS**  
SPLIT FACE  
WALL & CORNER  
24009049C / 24009278C



**SIGMA™ 8 PLUS**  
SPLIT FACE  
WALL & CORNER  
24009249C / 24009525C



**SIGMA™ 8 PLUS**  
SMOOTH  
WALL & CORNER  
24009292C / 24009562C



**OMEGA NATURAL**  
3 1/2 WALL  
24007609



**OMEGA NATURAL 7**  
WALL & COLUMN KIT  
24007619 / 24007649



**EDGESTONE**  
PLUS  
24001029CBS




**BELGIUM**  
CURBSTONE  
24007809



# STONE HARBOR

NOW AVAILABLE IN


*Now Available!* 2026



**OMEGA™ SMOOTH  
WALL &  
COLUMN KIT**  
24007411C / 24007448C

# TOFFEE/ONYX

NOW AVAILABLE IN



**SIGMA™ 8 PLUS  
SMOOTH  
WALL & CORNER**  
24009291C / 24009570C





# ARMORTEC®

SEEING IS BELIEVING!



## CAMBRIDGE PAVER WITH ARMORTEC®\*

Installed in a residential driveway in June 2006 (photo taken January 2010)

After many years of outstanding performance and beauty, Cambridge Pavingstones with ArmorTec® remain recognizably smooth and dense with rich color. The sustainable benefits are a result of a proven formula used in manufacturing ArmorTec® – only environmentally friendly raw materials, super fine sand granules, and cement of the highest quality.

\*Shown is a Cambridge face mix pavingstone manufactured with ArmorTec® face mix installed in 2006.

## PAVINGSTONE WITHOUT ARMORTEC®†

Installed in another residential driveway in November 2006 (photo taken Jan. 2010)

Without ArmorTec®, the Pavingstone will look less attractive as the sand and cement wear over time. This detracts from the appearance of the surface and contributes further to their worn look.

†Shown is a Cambridge through-body pavingstone intentionally manufactured without ArmorTec® face mix installed in 2006.



# The CAMBRIDGE FULLY-TRANSFERABLE LIMITED LIFETIME WARRANTY

**Cambridge Pavers Inc. warrants to the owner that, should a Cambridge pavingstone or wallstone, installed according to Concrete Masonry & Hardscapes Association (CMHA) installation guidelines, prove defective, it will be replaced without cost. Replacement labor is not included. THIS WARRANTY IS TRANSFERABLE WITH VALID PROOF OF PURCHASE.**

Cambridge Pavers like any other concrete products and or natural stone will not resist staining and or environmental debris build up. Anything outdoors whether man-made or natural will suffer Mother Nature's wrath when exposed to the elements 24/7, 365 days a year. Therefore, if you want to keep your pavers looking good it will entail some maintenance on your part. This can easily be cleaned with dish soap and water or something more substantial depending on the type of stain. We cover all the ways to care for your pavers if you do come across a stubborn stain on the Frequently Asked Questions pages of this document.

**NOTE:** Efflorescence is a whitish powder deposit that sometimes appears on concrete products. It has no affect on the structural integrity of the pavingstones or wallstones and will wash and wear off over time. The use of concrete setting beds may also increase the possible occurrence of efflorescence. Because this is a natural occurrence, Cambridge Pavers, Inc. accepts no responsibility or liability for this condition. Cambridge Pavingstones are made from natural, environmentally-friendly material, and therefore, variations in color may occur. Cambridge Pavers may have pyrite (iron mineral, red in color) that appear on the surface of the stone which can occur in any natural products or products that utilize natural materials (sand, aggregate, cement) i.e. concrete pavers. Because this is a natural occurrence, it in no way affects the structural integrity of the pavingstones or wallstones. Cambridge Pavers, Inc. accepts no responsibility or liability for this condition.

Polymeric haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain or it can be removed with a specialized cleaner. You are advised to contact your contractor. Cambridge Pavers, Inc. accepts no responsibility or liability for this occurrence.

**NOTE:** Cambridge Pavers, Inc. is offering the Alliance Gator Base product based on customer requests. The use of this product is not covered under Concrete Masonry & Hardscapes Association (CMHA) guidelines or Cambridge's warranty. All warranty claims will be forwarded directly to Alliance.

**NOTE:** Custom colors as well as pavers with Blue and Shell pigments do not have color throughout. Cambridge Wallstones are made without ArmorTec®.

**SNOW REMOVAL** equipment should have the proper rubber blade guards to protect the surface of the pavers. Cambridge Pavers is not responsible for any damage caused by snow removal equipment, which may leave burns and scuff marks on pavers.

**NOTE:** De-icing chemicals — We recommend using sand as the preferred method for providing skid and slip resistance. If using de-icer we recommend only sodium chloride (NaCl). De-icer should be applied sparingly. Once loosened snow and ice should be promptly removed to avoid a build-up in concentration of the de-icing chemical. Do not use products that contain a blend of chemicals.

**IMPORTANT NOTICES:** [#1] A bolt-on urethane protection mat must be attached to the plate compactor as a precaution against surface scuffing on all Cambridge textured products. A roller compactor is preferable when installing slabs. Installation guidelines must follow those as instructed by the Concrete Masonry & Hardscapes Association (CMHA). [#2] Ledgestone Cap and 12 x 24 Coping have a sharp edge due to the manufacturing process.

Contractors should utilize a grinder against the sharp edges to soften it. You will see some aggregates appear after this process but it will help prevent issues with the end user scratching or cutting themselves.

In order to make a claim under this Warranty, the owner must return the defective pavingstone or wallstone to the dealer who sold the product. **Any implied warranties of merchantability and/or fitness for a particular purpose are limited as stated above.** The exclusive remedy under this Warranty is replacement of a defective pavingstone or wallstone. Cambridge's responsibility is limited to the cost of the product only and not to the costs related to the installation or replacement of said products. Cambridge Pavers Inc. shall not be liable for incidental or consequential damage arising from any breach of warranty. Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to you. Any court action making a claim under this Warranty must be commenced within one year of the date on which the defect was, or in the exercise of reasonable care, could have been discovered. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state. **Any suit involving a warranty claim shall be brought in the Superior Court of New Jersey, Bergen County.** The laws of the State of New Jersey without regard to its conflict of law provisions shall govern all issues in all warranty claims.


Cambridge adheres to ASTM Designation C 936-82 standards as found on our website. Vehicular applications should be accommodated through pavingstones with an aspect ratio of 3:1 or less. Units with an overall length to thickness aspect ratio of 4:1 or greater should not be used in vehicular applications (CMHA Technical Specification 10). An example of a Cambridge product not suitable for vehicular applications is the Ledgestone XL which has an aspect ratio greater than 4:1; this product should only be used in pedestrian applications (sidewalks, patios, walkways, etc.).

**NATURAL STONE DISCLAIMER:** Cambridge Pavers does not offer a warranty on any of our Natural Stone products including Outdoor Porcelain Tiles. Natural stones may also have pyrite (rust) in the stones which can occur in all natural products. Cambridge Pavers Inc. has partnered with quarries from around the world to offer Natural Stone products. Unlike manufactured stone, Natural Stone will vary in terms of color, pattern and texture, because these are products of nature and not man-made. There are no two pieces alike when it comes to Natural Stone that is what makes these products beautiful and unique. Natural Stone products delivered to your home may not be an exact product match to what you might have seen in a show room or in our brochure.

Natural Stone products last , but if you want to keep them looking good, some general maintenance is necessary. Natural Stone products can stain and become scratched, because they contain naturally porous surfaces. To avoid staining from occurring keep surfaces clear of dirt, damp leaves, acidic products, and oils. If any of these things do come in contact with your Natural Stone remove them as soon as possible by cleaning them with soap and water. If this method does not work Natural Stone cleaning products can be found in your local building material store, but be sure to avoid any cleaners containing acids.

Sealing Natural Stone comes to personal preference. Some people feel unsealed stones get better looking with age, while others feel sealing their stones aids in easier clean up and less maintenance, although this is not a guarantee. If you choose to seal your stones always do a test patch in a spot that is not very noticeable to ensure you are happy with the end result.

**THE CAMBRIDGE CAST STONE PRODUCTS WARRANTY:** Cambridge Pavers, Inc. warrants to the original purchaser (with a proof of purchase) that should Cast Stone products (Steps, Caps and Stepping Stones) installed according to industry standards and in compliance with our installation guidelines, prove defective upon installation.



SEEING IS *BELIEVING!*

*Made in AMERICA*